

CYBEX **ceptional**



CYBEX
cyclone™ series cycles



CYBEX Cyclone™ - C Cycle

Cyclone™ - C Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Optimal console placement positions the display in the rider's field-of-view and out of the path of sweat
- Proprietary seat design features a comfort groove and is shaped to fit the user
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Multi-position design of handlebars accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior
- Larger pedals to better ac

Model Number	530C
Foot Print	49" (124 cm) L x 23" (58 cm) W x 56" (142 cm) H
Weight	143 lb. (65 kg)



Cyclone™ Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control. Featured in between displays are a magazine rack and tabs to secure reading materials.

ERGONOMICALLY DESIGNED GROOVE SEAT ■



■ OPTIMAL CONSOLE PLACEMENT

■ MULTIPLE PROGRAM MODES

CYBEX

Cyclone™-R Cycle



VENTED SEAT BACK AND OPTIMIZED SEAT BASE

MULTIPLE PROGRAM MODES

Cyclone™-R Cycle

- Three modes of bike operation and programming for added variety: bike mode (bike programs), constant power (fitness programs), accommodating resistance/isokinetic (speed programs) as well as Heart Rate Control and fit-test programs
- Unique semi-recumbent seat design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users
- Two-stage drive system with self-tensioning idlers and hybrid eddy-current self-generating brake provide high torque capabilities at lower brake speeds for smooth operation and an exceptionally wide resistance range of 15 to 900 watts
- Structural durability of frame allows for the most demanding user to experience a full and intense workout
- Forged three-piece superior mountain bike crank set for extreme durability
- Under display "grab handles" and seat mounted handlebars with contact heart rate grips

Model Number	530R
Foot Print	58" (148 cm) L x 25" (64 cm) W x 47" (119 cm) H
Weight	166 lb. (75 kg)



Cyclone™ Cycles feature the Cybex hallmark split level design to simplify setup and provide the user with essential information. Upper display provides access to programming and graphic display of the session. Lower display provides time, speed and level control. Featured in between displays are a magazine rack and tabs to secure reading materials.

CYCLONE™ CYCLE SPECIFICATIONS

Cyclone™ - C Cycle

(MODEL NUMBER 530C)



Cyclone™ - R Recumbent Cycle

(MODEL NUMBER 530R)



WORLD HEADQUARTERS

10 Trotter Dr. + Medway, MA 02053, USA
 † 508.533.4300 + † 508.533.5500 + cybexinternational.com

CYBEX INTERNATIONAL, UK LTD.

10 North Portway Close + Round Spinney + Northampton, NN3 8RQ, UK
 † 44.1604.490.900 + † 44.1604.490.901

FINANCING/LEASING INFORMATION

Cybox Capital + 1771 Post Road East + Suite 242 + Westport, CT 06880, USA
 † 203.254.6033 + † 203.256.9712

Unique to Cyclone™-C Cycle

SEAT	Proprietary design features a comfort groove and is shaped to fit the user
HANDLEBARS	Multi-position design accommodates riding styles from upright to aero and is equipped with two sets of contact heart rate grips in addition to the standard Polar® compatible heart rate receiver

Unique to Cyclone™-R Recumbent Cycle

SEAT	Design features a seat back with a chimney-style vented surface and seat base with optimized shape to conform to a wide range of users
HANDLEBARS	Under display "grab handles" and seat mounted handlebars with contact heart rate grips

Features common to Cyclone™-C and Cyclone™-R

MODES OF OPERATION	Constant Power, Bike Mode and Speed Controlled (Isokinetic)
RESISTANCE RANGE	Minimum-15 watts, Maximum-900 watts
POWER	Self-powered, optional AC adapter for full time display
RESISTANCE TYPE	Eddy-current brake with brushless internal generator provides high torque capabilities and minimal drag
DRIVE TYPE	Two stage drive system with self-tensioning idlers for exceptionally smooth operation and minimal mechanical drag
CRANK TYPE	165 mm, three-piece heavy-duty mountain bike
PEDALS	Extra wide with adjustable straps
PORTABILITY	Wheels on front for easy rolling
DISPLAY DESIGN	Split level with magazine rack tabs
PROGRAMMING	Quick Start, Manual, three Fitness (Constant Power) programs, three Bike (Bike Mode) programs, three Speed Controlled (Isokinetic) programs, Heart Rate Control and a Fitness Test. Programs have 21 levels.
INFORMATION DISPLAYED	Graphic display of profile via 7x15 dot matrix. Upper display may scan or select between distance, calories, calories/hour, METs, watts, rpm and heart rate including multi-color indication of heart rate range. Lower display shows time, road speed and level.
HEART RATE MONITORING	Polar® compatible chest strap for HR telemetry (<i>chest strap not included</i>)
CONNECTIVITY	CSAFE (Fitlinxx Level 3 Pending)
FACILITY FEATURES	Facility preference setup parameters and diagnostics
MISCELLANEOUS	Water bottle holder and utility tray
REGULATORY COMPLIANCE	ASTM, UL, CE, EN, CSA, FCC
MAX USER WEIGHT	400 lb. (181 kg)
CUSTOMIZATION	Choice of five standard colors or select from over 180 custom colors



Specifications subject to change. 10/04
 *Actual color may differ from samples shown